



DART

SUPERCEDED BY


Rev. B 04.11.24



DESIGN #	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED #	DRAWING NO. D3126	REV. A SHEET 1 OF 3
DATE 02.04.17		TITLE BRACKET	SCALE 1:2
A	02.04.17	NEW ISSUE	
AI	02.09.23	ADD "ANNEALED" SPEC	

RELEASED
02.05.27

D3126-1 BRACKET
REPLACES PREMIER P/N B30-23000-265



D3126-1 BRACKET FLAT PATTERN

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET 0.032 THICK PER MIL-S-5059 (REF. DART SPEC. M304S) ANNEALED
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 5) SCRIBE DART P/N D3126-1 AS SHOWN


Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




DESIGN #	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED #	DRAWING NO. D3126	REV. A SHEET 2 OF 3
DATE 02.04.17		TITLE BRACKET	SCALE 1:2

RELEASED
02.05.27



D3126-3 BRACKET
REPLACES PREMIER P/N B30-23000-267



D3126-3 BRACKET FLAT PATTERN

NOTES



- 1) MATERIAL: AISI 304/316 SS SHEET 0.032 THICK PER MIL-S-5059 (REF. DART SPEC. M304S) ~~ANNEALED~~
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 5) SCRIBE DART P/N D3126-3 AS SHOWN

Copyright © 2002 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN #	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED #	DRAWING NO. D3126	REV. A SHEET 3 OF 3
DATE 02.04.17		TITLE BRACKET	SCALE 1:2

RELEASED
02.05.27 #

D3126-5 BRACKET
REPLACES PREMIER P/N B30-23000-269



D3126-5 BRACKET FLAT PATTERN

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET 0.032 THICK PER MIL-S-5059 (REF. DART SPEC. M304S) **ANNEALED**
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 5) SCRIBE DART P/N D3126-5 AS SHOWN

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.